

Antidepressants Prescribed

I4C Indicator MED-PSY-001: Antidepressants Prescribed v 1.1

Category: Medication Management/Psychoactive

Purpose:

This indicator is used to identify patients prescribed an antidepressant medication.

Source:

Based on Health Data Coalition Current Clinical Measures, June 2018.

Base Population:

All patients with an Active demographic status recorded in the EMR.

Indicator Segments:

Currently prescribed: Count of patients WITH at least one current antidepressant prescription documented.

Only past prescriptions: Count of patients WITHOUT ANY current antidepressant prescriptions documented AND WITH at least one past antidepressant prescription documented.

Never Prescribed: Count of patients WITHOUT ANY current or past antidepressant prescriptions documented.

Current antidepressant prescription is any of the following medications (generic names listed) that are current (not discontinued) medications:

'Escitalopram'	'Citalopram'	'Fluoxetine'	'Fluvoxamine'
'Paroxetine'	'Sertraline'	'Desvenlafaxine'	'Milnacipran'
'Venlafaxine'	'Duloxetine'	'Levomilnacipran'	'Isocarboxazid'
'Tranylcypromine'	'Phenelzine'	'Selegiline'	'amoxapine'
'desipramine'	'trimipramine'	'clomipramine'	'protriptyline'
'amitriptyline'	'nortriptyline'	'imipramine'	'doxepin'
'maprotiline'	'mirtazapine'	'nefazodone'	'trazodone'
'bupropion'	'tryptophan'		

Past antidepressant prescription is any of the above medications that are past (discontinued) medications.

Suggested Indicator Use:

Physician or Practice use of this indicator is to identify or recall patients who are currently prescribed antidepressant medications.